



Vegetable Slicer
Combined vegetable slicer/cutter
7l/7.4qt, variab.speed-1500w, nema
5-15p

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____



602243 (DTRK70)

Combined Vegetable Slicer/Cutter Mixer angled front, continuous feed design, variable speed (300-3700 RPM), large single feed hopper, includes 7.4 qt stainless steel bowl.

Short Form Specification

Item No. _____

Combined Vegetable Slicer/Cutter Mixer angled front, continuous feed design, variable speed (300-3700 RPM), large single feed hopper, includes 7.4 qt stainless steel bowl.

Main Features

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incl system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre-cutting operations.
- Emulsifier function (scraper) included as standard.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Delivered with: 7.4qt (7lt) stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor.
- Complete and wide selection of blades and grids available, Diameter of blades and grids are 8" (205mm).
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Pulse function to coarse chopping.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Base fixed cover for a better handling.

Construction

- Improved ventilation system to manage smoothly heavy duty use.
- Improved incl system for better stability.
- Improved fixing of long vegetable hopper pusher.
- Power: TRK70 - 1.3 HP.
- Vegetable cutting at 4 speeds up to 800 rpm. Food precessing at 10 variable speeds: 300-3700 rpm.
- TRK70 - 1.5 kW.
- Compact and portable design.
- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).

Included Accessories

- 1 of Lid and bowl scraper PNC 650104 for 7.4 qts (7 L) cutter mixer
- 1 of Microtoothed blade PNC 653584 rotor for 7.4 qts (7 L) cutter mixer

APPROVAL: _____



Vegetable Slicer
Combined vegetable slicer/cutter 7l/7.4qt, variab.speed-1500w,
nema 5-15p



Vegetable Slicer

Combined vegetable slicer/cutter

7l/7.4qt, variab.speed-1500w, nema 5-15p

- 1 of Stainless steel bowl for 7.4 qts (7 L) cutter mixer PNC 653593
- 1 of Ejector disc PNC 653772

Optional Accessories

- | | |
|--|---|
| <ul style="list-style-type: none"> • MICROTOOTH BLADE-EMULS-7.4qt CUTTERMIXER PNC 650041 ☐ • Stainless steel shredding disc with S-blades 5/32" x 5/32" (4x4 mm) PNC 650077 ☐ • Stainless steel shredding disc with S-blades 1/4" x 1/4" (6x6 mm) (can also be used for French fries) PNC 650078 ☐ • Stainless steel shredding disc with S-blades 5/16" x 5/16" (8x8 mm) (can also be used for French fries) PNC 650079 ☐ • Stainless steel shredding disc with S-blades 3/8" x 3/8" (10x10 mm) (can also be used for French fries) PNC 650080 ☐ • Stainless steel pressing/slicing disc with S-blades .6 mm (can be used for slicing or combined with grids) PNC 650081 ☐ • Stainless steel pressing/slicing disc with S-blades 1/32" (1 mm) (can be used for slicing or combined with grids) PNC 650082 ☐ • Stainless steel pressing/slicing disc with S-blades 5/64" (2 mm) (can be used for slicing or combined with grids) PNC 650083 ☐ • Stainless steel pressing/slicing disc with S-blades 1/8" (3 mm) (can be used for slicing or combined with grids) PNC 650084 ☐ • Stainless steel pressing/slicing disc with S-blades 5/32" (4 mm) (can be used for slicing or combined with grids) PNC 650085 ☐ • Stainless steel pressing/slicing disc with S-blades 3/16" (5 mm) (can be used for slicing or combined with grids) PNC 650086 ☐ • Stainless steel pressing/slicing disc with S-blades 1/4" (6 mm) (can be used for slicing or combined with grids) PNC 650087 ☐ • Stainless steel pressing/slicing disc with S-blades 5/16" (8 mm) (can be used for slicing or combined with grids) PNC 650088 ☐ • Stainless steel pressing/slicing disc with corrugated S-blades 5/64" (2 mm) (can be used for slicing or combined with grids) PNC 650089 ☐ • Stainless steel pressing/slicing disc with corrugated S-blades 1/8" (3 mm) (can be used for slicing or combined with grids) PNC 650090 ☐ • Stainless steel pressing/slicing disc with corrugated S-blades 1/4" (6 mm) (can be used for slicing or combined with grids) PNC 650091 ☐ • Bistrot Pack, Stainless Steel Disc Set containing one each of: C2SX 5/64" (2mm) slicing disc, C5SX 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc PNC 650092 ☐ | <ul style="list-style-type: none"> • Gastronomic 6-Disc Set, Stainless Steel Disc Set containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc, AS4X 5/32" x 5/32" (4x4mm) shredding disc, C10PS 3/8" (10mm) presser/slicer, MT10T 3/8"x3/8" () PNC 650093 ☐ • Lid and bowl scraper for 7.4 qts (7 L) cutter mixer PNC 650104 ☐ • Set of 3 stainless steel discs for Pizza 5/64", 5/32", 9/32" (2mm and 4mm pressing/slicing discs with S-blades, 7mm grating disc) PNC 650107 ☐ • Cleaning tool for TRS, TRK & TR210 3/16-5/16-3/8 in (5-8-10 mm) dicing grids PNC 650110 ☐ • Dicing set 10X10X10MM (10mm aluminum slicing pressing disc with 205mm diam. and 10mm grid) PNC 650112 ☐ • Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool PNC 650113 ☐ • Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool PNC 650114 ☐ • Aluminum pressing/slicing disc with straight blades 10 mm - for dicing PNC 650115 ☐ • Aluminum pressing/slicing disc with straight blades 8 mm - for dicing PNC 650116 ☐ • Stainless steel shredding disc with S-blades 5/64" x 5/16" (2x8 mm) PNC 650158 ☐ • Stainless steel shredding disc with S-blades 5/64" x 3/8" (2x10 mm) PNC 650159 ☐ • Stainless steel pressing/slicing disc with S-blades 3/8" (10 mm) (can be used for slicing or combined with grids) PNC 650160 ☐ • Stainless steel pressing/slicing disc with S-blades 15/32" (12 mm) (can be used for slicing or combined with grids) PNC 650161 ☐ • Stainless steel pressing/slicing disc with corrugated S-blades 5/16" (8 mm) (can be used for slicing or combined with grids) PNC 650162 ☐ • Stainless steel pressing/slicing disc with corrugated S-blades 3/8" (10 mm) (can be used for slicing or combined with grids) PNC 650164 ☐ • Stainless steel pressing/slicing disc with S-blades 33/64" (13 mm) (can be used for slicing or combined with grids) PNC 650165 ☐ • Stainless steel shredding disc with S-blades 5/64"x 5/64" (2x2 mm) PNC 650166 ☐ • Stainless steel shredding disc with S-blades 1x8" x 1/8" (3x3 mm) PNC 650167 ☐ |
|--|---|




Vegetable Slicer Combined vegetable slicer/cutter 7l/7.4qt, variab.speed-1500w, nema 5-15p

- Set of 4 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc and J7X 9/32" (7mm) grating disc PNC 650178 ☐
- Set of 7 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm), J7X 9/32" (7mm) grating disc, AS4X 5/32"x5/32" (4x4mm) shredding disc, C10PSB 3/8" (10mm) presser/slicer, MT10T 3/8"x3/8" (1 PNC 650179 ☐
- Stainless steel work table assembly. PNC 653283 ☐
- Dicing grid 3/16" x 3/16" (5x5 mm) PNC 653566 ☐
- Dicing grid 5/16" x 5/16" (8x8 mm) PNC 653567 ☐
- Dicing grid 3/8"x 3/18" (10x10 mm) PNC 653568 ☐
- Dicing grid 15/32"x 15/32" (12x12 mm) PNC 653569 ☐
- Dicing grid 25/32"x 25/32" (20x20 mm) PNC 653570 ☐
- Grid for chips 1/4" x 1/4" (6x6 mm) PNC 653571 ☐
- Grid for chips 5/16"x 5/16" (8x8 mm) PNC 653572 ☐
- Grid for chips 3/8" x 3/8" (10x10 mm) PNC 653573 ☐
- Smooth blade rotor for 7.4 qts (7 L) cutter mixer PNC 653583 ☐
- Microtoothed blade rotor for 7.4 qts (7 L) cutter mixer PNC 653584 ☐
- Stainless steel bowl for 7.4 qts (7 L) cutter mixer PNC 653593 ☐
- Support for 1 disc, diam. 175mm and 205mm PNC 653632 ☐
- SMOOTH BLADE ROTOR (EMUL)-7QT CUTTER-MIX PNC 653712 ☐
- Ejector disc PNC 653772 ☐
- Stainless steel grating disc 5/64", fine (2mm) PNC 653773 ☐
- Stainless steel grating disc, 1/8", fine (3mm) PNC 653774 ☐
- Stainless steel grating disc 5/32" (4mm) PNC 653775 ☐
- Stainless steel grating disc 9/32" (7mm) PNC 653776 ☐
- Stainless steel grating disc 11/32" (9mm) PNC 653777 ☐
- Stainless steel grating disc, designed for nuts, chocolate & bread crumbs, stainless steel PNC 653778 ☐
- Stainless steel grating disc, especially fine grating for Parmesan cheese and chocolate, stainless steel PNC 653779 ☐
- Set of 3 discs, diam. 205 mm (5mm slicer, 4mm grater, 6mm julienne/shredder) PNC 653869 ☐
- Set of 5 discs, diam. 205 mm (4mm and 6mm slicer, 6mm julienne/shredder, 5mm and 10 mm slicer, 10x10mm grid) PNC 653870 ☐




Vegetable Slicer Combined vegetable slicer/cutter 7l/7.4qt, variab.speed-1500w, nema 5-15p

Front




Side



EI = Electrical connection

Top



Electric

Supply voltage:

602243 (DTRK70)

110-120 V/1N ph/60 Hz

Total Watts:

1.5 kW

Plug type:

USA NEMA 5-15P

Key Information:

External dimensions, Width:

9 15/16" (252 mm)

External dimensions, Depth:

19 1/16" (485 mm)

External dimensions, Height:

19 7/8" (505 mm)

Shipping width:

13" (330 mm)

Shipping depth:

32 1/4" (820 mm)

Shipping height:

23 5/8" (600 mm)

Shipping weight:

71 lbs (32 kg)